



LINOMAX plus Spezialfettpaste

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 07/09/2023 Revision date: 07/09/2023 Supersedes version of: 06/12/2022 Version: 7.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : LINOMAX plus Spezialfettpaste

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Lubricants, Greases and Release Products

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

H.-D. SCHUNK GmbH & Co. Spanntechnik KG
Lothringer Str. 23
88512 Mengen - Deutschland
T +49-7572-7614-1300
CustomerCenterMengen@de.schunk.com

E-mail address of competent person responsible for the SDS

info@ubsplus.de

1.4. Emergency telephone number

Emergency number : +49-761-19240
(VIZ Freiburg, 24 h, German & English)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component

| | |
|--|---|
| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7) | PBT: not yet assessed vPvB: not yet assessed |
|--|---|

LINOMAX plus Spezialfettpaste

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Component | |
|---|---|
| Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] (64742-52-5) | PBT: not yet assessed vPvB: not yet assessed |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|---------|---|
| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.] | CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627-25 | 20 – 30 | Asp. Tox. 1, H304 |
| Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | CAS-No.: 64742-52-5 EC-No.: 265-155-0 EC Index-No.: 649-465-00-7 | 10 – 20 | Asp. Tox. 1, H304 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|---|
| First-aid measures general | : Move the affected person away from the contaminated area. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice. |
| First-aid measures after skin contact | : Immediately remove contaminated clothing or footwear. Rinse and then wash skin thoroughly with water and soap. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Wash with plenty of water (during 20 minutes minimum) with eyes wide open after taking off soft contact lenses and immediately take medical advice. |

LINOMAX plus Spezialfettpaste

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after ingestion : Rinse mouth with water, do not induce vomiting, call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : water, carbon dioxide (CO₂), powder and foam. If there is a fire close by, use suitable extinguishing agents.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Metallic oxides. Nitrogen oxides. Carbon monoxide. Carbon dioxide. Phosphorus oxides.

5.3. Advice for firefighters

Precautionary measures fire : Evacuate area.

Firefighting instructions : Do not allow run-off from fire fighting to enter drains or water courses. Do not contaminate ground and surface water.

Protection during firefighting : Extra personal protection: complete protective clothing including self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate the danger area. Keep public away from danger area. Mark the danger area.

6.1.1. For non-emergency personnel

Protective equipment : Wear personal protective equipment. See Heading 8.

Measures in case of dust release : Avoid dust formation. Do not breathe dust. If dust are formed : Wear respiratory protection.

6.1.2. For emergency responders

Protective equipment : Wear personal protective equipment.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Mechanically recover the product. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

6.4. Reference to other sections

Precautionary measures fire. SECTION 5. Personal protective equipment. SECTION 8. Disposal considerations. SECTION 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Avoid dust formation. If dust are formed : Dust may form flammable and explosive mixture with air.

Hygiene measures : Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with soap and water before leaving work. Apply emollient cream.

LINOMAX plus Spezialfettpaste

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container closed when not in use. Store in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Lubricants, Greases and Release Products.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7)

DNEL/DMEL (Workers)

| | |
|--|------------------------|
| Long-term - systemic effects, dermal | 0.97 mg/kg bw/d |
| Long-term - systemic effects, inhalation | 2.73 mg/m ³ |
| Long-term - local effects, inhalation | 5.58 mg/m ³ |

DNEL/DMEL (General population)

| | |
|------------------------------------|-----------------|
| Long-term - systemic effects, oral | 0.74 mg/kg bw/d |
|------------------------------------|-----------------|

PNEC (Oral)

| | |
|---------------------------------|------------|
| PNEC oral (secondary poisoning) | 9.33 mg/kg |
|---------------------------------|------------|

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] (64742-52-5)

DNEL/DMEL (Workers)

| | |
|--|------------------------|
| Long-term - systemic effects, dermal | 0.97 mg/kg bw/d |
| Long-term - systemic effects, inhalation | 2.73 mg/m ³ |
| Long-term - local effects, inhalation | 5.58 mg/m ³ |

DNEL/DMEL (General population)

| | |
|------------------------------------|-----------------|
| Long-term - systemic effects, oral | 0.74 mg/kg bw/d |
|------------------------------------|-----------------|

PNEC (Oral)

| | |
|---------------------------------|------------|
| PNEC oral (secondary poisoning) | 9.33 mg/kg |
|---------------------------------|------------|

8.1.5. Control banding

No additional information available

LINOMAX plus Spezialfettpaste

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Hand protection:

If exposed: Chemically resistant protective gloves. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Material. Nitrile rubber. Fluoroelastomer (FKM). material thickness: 0,04 mm

Other skin protection

Materials for protective clothing:

Wear proper protective equipment

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions. Vapours or aerosols : Wear respiratory protection. Filter type: P

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------------------|-----------------------|
| Physical state | : Solid |
| Colour | : Beige. |
| Appearance | : Paste. |
| Odour | : characteristic. |
| Odour threshold | : Not available |
| Melting point | : Not available |
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flammability | : Not available |
| Explosive properties | : Not known. |
| Oxidising properties | : Not known. |
| Explosive limits | : Not applicable |
| Lower explosive limit (LEL) | : Not applicable |
| Upper explosive limit (UEL) | : Not applicable |
| Flash point | : 174 °C (closed cup) |
| Auto-ignition temperature | : Not applicable |
| Decomposition temperature | : Not available |
| pH | : Not available |
| pH solution | : Not available |
| Viscosity, kinematic | : Not applicable |
| Solubility | : Not available |

LINOMAX plus Spezialfettpaste

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|---|------------------|
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50°C | : Not available |
| Density | : Not available |
| Relative density | : 1.32 |
| Relative vapour density at 20°C | : Not applicable |
| Particle size | : Not available |
| Particle size distribution | : Not available |
| Particle shape | : Not available |
| Particle aspect ratio | : Not available |
| Particle aggregation state | : Not available |
| Particle agglomeration state | : Not available |
| Particle specific surface area | : Not available |
| Particle dustiness | : Not available |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

butene, mixed-1-and-2-isomers.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|-----------------------------|---|
| Acute toxicity (oral) | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (dermal) | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (inhalation) | : Not classified (Based on available data, the classification criteria are not met) |

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7)

| | |
|--------------------|--------------|
| LD50 oral rat | > 5000 mg/kg |
| LD50 dermal rabbit | > 2000 mg/kg |

LINOMAX plus Spezialfettpaste

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7)

| | |
|-----------------------------------|-------------|
| LC50 Inhalation - Rat (Dust/Mist) | > 5 mg/l/4h |
|-----------------------------------|-------------|

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] (64742-52-5)

| | |
|---------------|--------------|
| LD50 oral rat | > 5000 mg/kg |
|---------------|--------------|

| | |
|--------------------|--------------|
| LD50 dermal rabbit | > 2000 mg/kg |
|--------------------|--------------|

| | |
|-----------------------------------|-------------|
| LC50 Inhalation - Rat (Dust/Mist) | > 5 mg/l/4h |
|-----------------------------------|-------------|

| | |
|-----------------------------------|---|
| Skin corrosion/irritation | : Not classified (Based on available data, the classification criteria are not met) |
| Serious eye damage/irritation | : Not classified (Based on available data, the classification criteria are not met) |
| Respiratory or skin sensitisation | : Not classified (Based on available data, the classification criteria are not met) |
| Germ cell mutagenicity | : Not classified (Based on available data, the classification criteria are not met) |
| Carcinogenicity | : Not classified (Based on available data, the classification criteria are not met) |
| Reproductive toxicity | : Not classified (Based on available data, the classification criteria are not met) |
| STOT-single exposure | : Not classified (Based on available data, the classification criteria are not met) |
| STOT-repeated exposure | : Not classified (Based on available data, the classification criteria are not met) |
| Aspiration hazard | : Not classified (Based on available data, the classification criteria are not met) |

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|---|
| Hazardous to the aquatic environment, short-term (acute) | : Not classified (Based on available data, the classification criteria are not met) |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified (Based on available data, the classification criteria are not met) |
| Not rapidly degradable | |

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7)

| | |
|-----------------|------------------------------|
| LC50 - Fish [1] | > 100 mg/l (OECD 203 method) |
|-----------------|------------------------------|

| | |
|----------------------|--------------------------------|
| EC50 - Crustacea [1] | > 10000 mg/l (OECD 202 method) |
|----------------------|--------------------------------|

| | |
|--------------------|------------------------------|
| NOEC chronic algae | > 100 mg/l (OECD 201 method) |
|--------------------|------------------------------|

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] (64742-52-5)

| | |
|-----------------|------------------------------|
| LC50 - Fish [1] | > 100 mg/l (OECD 203 method) |
|-----------------|------------------------------|

| | |
|----------------------|--------------------------------|
| EC50 - Crustacea [1] | > 10000 mg/l (OECD 202 method) |
|----------------------|--------------------------------|

| | |
|--------------------|------------------------------|
| NOEC chronic algae | > 100 mg/l (OECD 201 method) |
|--------------------|------------------------------|

LINOMAX plus Spezialfettpaste

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7)

| | |
|----------------|------------------------------|
| Biodegradation | 1.5 – 29 % (OECD 301B, 28 d) |
|----------------|------------------------------|

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] (64742-52-5)

| | |
|----------------|------------------|
| Biodegradation | 31 % (OECD 301F) |
|----------------|------------------|

12.3. Bioaccumulative potential

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7)

| | |
|---------------------------|--------------------------------|
| Bioaccumulative potential | Low bioaccumulation potential. |
|---------------------------|--------------------------------|

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

LINOMAX plus Spezialfettpaste

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component

| | |
|--|---|
| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7) | PBT: not yet assessed vPvB: not yet assessed |
|--|---|

| | |
|---|---|
| Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] (64742-52-5) | PBT: not yet assessed vPvB: not yet assessed |
|---|---|

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

LINOMAX plus Spezialfettpaste

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Regional legislation (waste) : This material and its container must be disposed of in a safe way, and as per local legislation.
- Sewage disposal recommendations : Do not allow to enter drains or water courses.
- Product/Packaging disposal recommendations : Do not dispose of with domestic waste.
- Additional information : Handle uncleaned empty containers as full ones.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|----------------|----------------|----------------|----------------|
| 14.1. UN number or ID number | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shipping name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

IBC code : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

LINOMAX plus Spezialfettpaste

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Other information, restriction and prohibition regulations : Ozone layer depleting substances: Not subject to Regulation (EC) No 1005/2009. Control of major-accident hazards (COMAH, Seveso III): Not subject to Directive 2012/18/EC.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

Not applicable

Mixtures

SECTION 16: Other information

| Indication of changes | | | |
|-----------------------|----------------------------------|----------|----------|
| Section | Changed item | Change | Comments |
| 2.3 | Other hazards | Modified | |
| 9.1 | Physical and chemical properties | Modified | |
| 12.6 | Endocrine disrupting properties | Added | |

| Full text of H- and EUH-statements | |
|------------------------------------|---|
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| EUH210 | Safety data sheet available on request. |
| H304 | May be fatal if swallowed and enters airways. |

SDB_EU_UBSPLUS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.