



RADIENPROGRAMM

Serie 3016 - Serie 3017 - Serie 3018



Anwendungen applications


Serie 3016



Serie 3017





Serie 3018



Serie 3016 - Ausführungen

Serie 3016 - executions





Bestell-Nr.: Order Code:		Abmessungen / Dimension (mm)						Wendeplatte Insert	Schraube Screw	Schlüssel Key
		D	D1	L	L1	dh6	Z			
3016-012 W-W		12	23,7	100	50	16	1	SCXT 09T3 R..	M-VT40-6 3,0 Nm 3,00,- €	M-BT15 6,49,- €
3016-012 WL		12	23,7	200	50	16	1			
3016-016 W-W		16	28,8	100	50	16	2			
3016-016 WL		16	28,8	200	50	16	2			
3016-025 W-W		25	40,3	100	45	25	3			
3016-025 WL		25	40,3	200	45	25	3			
3016-025 W-W-12		25	40,5	100	45	25	3	SEXT 1204 R.. SEXT 1204 RR..	M-VT45 5,0 Nm 3,23,- €	M-BT20 6,49,- €
3016-025 WL-12		25	40,5	200	45	25	3			
3016-032 W-W		32	45	100	45	25	3			
3016-032 WL		32	45	200	45	25	3			
3016-005 W-W		5	32,3	91	35	25	1	XPKN 2204 R..	M-CVB55 7,78,- €	M-CL2 3,46,- €
3016-032 W-W-22		32	61	110	49	32	3			

Bestellbeispiel / Orderexample: 3016-012 W-W

W-W = Kühlmittelbohrung / W-W = coolant bores

Serie 3016 - Ausführungen

Serie 3016 - executions





Bestell-Nr.: Order Code:		Abmessungen / Dimension (mm)									Wendeplatte Insert 	Schraube Screw 	Schlüssel Key 	Spannkeil clamping wedge 
		D	De	d	c	e	a	b	H	Z				
3016 M-W D32		32	45	16	14	18	8,4	5,6	40	3	SEXT 1204 R.. SEXT 1204 RR..	M-VT45 5,0 Nm 3,23,- €	M-BT20 6,49,- €	
3016 M-W D40		40	53	16	14	18	8,4	5,6	40	4				
3016 M-W D50		50	63	22	18	20	10,4	6,3	48	5				
3016 M-W D63		63	92,5	22	18	20	10,4	6,3	48	6	XPKN 2204 R..	M-MS 1162 5,35,- €	5003 2,01,- €	M-SK 1355 44,00,- €
3016 M-W D80		80	115,8	32	27	25	14,4	8	48	7	XPKN 3106 R..	M-MS 1162 5,35,- €	5003 2,01,- €	M-SK 1355 44,00,- €

Bestellbeispiel / Orderexample: 3016 M-W D32

M-W = Kühlmittelbohrung / M-W = coolant bores

Serie 3017 - Ausführungen

Serie 3017 - executions



Bestell-Nr.: Order Code:		Abmessungen / Dimension (mm)									Wendeplatte Insert 	Schraube Screw 	Schlüssel Key 	Spannkeil Clamping wedge
		D	D1	d	a	b	H	h1	Z	Ze _{ff}				
3017 M-W D50		50	61,7	22	10,4	6,3	40	25	8	4	SEXT 1204 R R.. SEXT 1204 L R..	M-VT45 5,0 Nm 3,23,-€	M-BT20 6,45,-€	
3017 M-W D80		80	105	32	14,4	8	75	50	12	6	XPKN 2204 R R.. XPKN 2204 L R..	M-MS 1162 5,35,-€	5003 2,01,-€	M-SK 1355 44,00,-€
3017 M-W D80-31		80	112,7	32	14,4	8	85	55	12	6	XPKN 3106 R R.. XPKN 3106 L R..	M-MS 1162 5,35,-€	5003 2,01,-€	M-SK 1355 44,00,-€

Bestellbeispiel / Orderexample: 3017 M-W D80

M-W = Kühlmittelbohrung

/ M-W = coolant bores

Lieferung: inkl. Schrauben und Spannkeile

- Delivery: including screws and clamping wedges